

# GAUGES AND ACCESSORIES

	PART NUMBER	DESCRIPTION
<b>ACCESSORIES</b>		
	.25FX.25F316MINI .50FX.25F316MINI .50FX.50F316MINI	DIAPHRAGM INSTALLATION 1/4" F X 1/4" F 316SS MINI DIAPHRAGM SEAL-WELDED, 30-3000 PSI 1/2" F X 1/4" F 316SS MINI DIAPHRAGM SEAL-WELDED, 30-3000 PSI 1/2" F X 1/2" F 316SS MINI DIAPHRAGM SEAL-WELDED, 30-3000 PSI
	2.5"RBBOOT-BL	2.5" RUBBER BOOT FOR PRESSURE GAUGE (BLUE ONLY) <b>(Compatible with lower &amp; back mount)</b>
	CALCERT	<u>IN-HOUSE PRESSURE GAUGE CERTIFICATION</u>
	2.5V-CLAMP	2.5" ZINC PLATED V-CLAMP
	2.5" FLANGE	2.5" SS FLANGE WITH HOLES
	2.5" FLANGE W/O HOLE	2.5" SS FLANGE WITHOUT HOLES
<b>1 1/2" DIAL / STEEL CASE x BRASS 1/8" LOWER MOUNT (DRY ONLY) / 3% ACCRUACY</b>		
	102D-158C-LEFT	1.5" ST/BR D 1/8" CBM 30 PSI - LEFT SIDE MOUNT STEM
	102D-158C-RIGHT	1.5" ST/BR D 1/8" CBM 30 PSI - RIGHT SIDE MOUNT STEM
	101D-158C	1.5" ST/BR D 1/8" LM 30 PSI
	101D-158D	1.5" ST/BR D 1/8" LM 60 PSI
	101D-158E	1.5" ST/BR D 1/8" LM 100 PSI
	101D-158F	1.5" ST/BR D 1/8" LM 160 PSI
	101D-158G	1.5" ST/BR D 1/8" LM 200 PSI
	<b>2" STEEL CASE x BRASS 1/4" LOWER MOUNT (DRY ONLY) / 3% ACCRUACY</b>	
	101D-204C	2" ST/BR D 1/4" LM 30 PSI
	101D-204D	2" ST/BR D 1/4" LM 60 PSI
	101D-204E	2" ST/BR D 1/4" LM 100 PSI
	101D-204F	2" ST/BR D 1/4" LM 160 PSI
	101D-204G	2" ST/BR D 1/4" LM 200 PSI
	101D-204H	2" ST/BR D 1/4" LM 300 PSI
	<b>2 1/2" STEEL CASE x BRASS 1/4" LOWER MOUNT (DRY ONLY) / 3% ACCRUACY</b>	
	101D-254A	2.5" ST/BR D 1/4" LM 30/0" HG VAC
	101D-254B	2.5" ST/BR D 1/4" LM 15 PSI
	101D-254C	2.5" ST/BR D 1/4" LM 30 PSI
	101D-254CC	2.5" ST/BR D 1/4" LM 30/0/30 PSI HG VAC
	101D-254D	2.5" ST/BR D 1/4" LM 60 PSI
	101D-254E	2.5" ST/BR D 1/4" LM 100 PSI
	101D-254F	2.5" ST/BR D 1/4" LM 160 PSI
	101D-254G	2.5" ST/BR D 1/4" LM 200 PSI

101D-254H	2.5" ST/BR D 1/4" LM	300 PSI
101D-254I	2.5" ST/BR D 1/4" LM	400 PSI
101D-254K	2.5" ST/BR D 1/4" LM	600 PSI
101D-254L	2.5" ST/BR D 1/4" LM	800 PSI
101D-254M	2.5" ST/BR D 1/4" LM	1,000 PSI
101D-254N	2.5" ST/BR D 1/4" LM	1,500 PSI
101D-254O	2.5" ST/BR D 1/4" LM	2,000 PSI
101D-254S	2.5" ST/BR D 1/4" LM	6,000 PSI

**1 1/2" STEEL CASE x BRASS 1/8" CENTER BACK MOUNT (DRY ONLY) / 3% ACCRUACY**



102D-158C	1.5" ST/BR D 1/8" CBM	30 PSI
102D-158D	1.5" ST/BR D 1/8" CBM	60 PSI
102D-158E	1.5" ST/BR D 1/8" CBM	100 PSI
102D-158F	1.5" ST/BR D 1/8" CBM	160 PSI
102D-158G	1.5" ST/BR D 1/8" CBM	200 PSI
102D-158H	1.5" ST/BR D 1/8" CBM	300 PSI
102D-158I	1.5" ST/BR D 1/8" CBM	400 PSI
102D-158K	1.5" ST/BR D 1/8" CBM	800 PSI

**2" STEEL CASE x BRASS 1/4" CENTER BACK MOUNT (DRY ONLY) / 3% ACCRUACY**



102D-204C	2" STEEL/BR D 1/4" CBM	30 PSI
102D-204D	2" STEEL/BR D 1/4" CBM	60 PSI
102D-204E	2" STEEL/BR D 1/4" CBM	100 PSI
102D-204F	2" STEEL/BR D 1/4" CBM	160 PSI
102D-204G	2" STEEL/BR D 1/4" CBM	200 PSI
102D-204H	2" STEEL/BR D 1/4" CBM	300 PSI
102D-204I	2" STEEL/BR D 1/4" CBM	400 PSI

**2" STEEL CASE x BRASS 1/8" CENTER BACK MOUNT (DRY ONLY) / 3% ACCRUACY**



102D-208A	2" STEEL/BR D 1/8" CBM	30"/0 PSI HG VAC
102D-208CC	2" STEEL/BR D 1/8" CBM	30"/0/30 PSI HG VAC
102D-208C	2" STEEL/BR D 1/8" CBM	30 PSI
102D-208D	2" STEEL/BR D 1/8" CBM	60 PSI
102D-208E	2" STEEL/BR D 1/8" CBM	100 PSI
102D-208F	2" STEEL/BR D 1/8" CBM	160 PSI
102D-208G	2" STEEL/BR D 1/8" CBM	200 PSI
102D-208H	2" STEEL/BR D 1/8" CBM	300 PSI
102D-208I	2" STEEL/BR D 1/8" CBM	400 PSI

**2 1/2" STEEL CASE x BRASS 1/4" CENTER BACK MOUNT (DRY ONLY) / 3% ACCRUACY**



102D-254A	2.5" STEEL/BR D 1/4" CBM	30"/0 PSI HG VAC
102D-254C	2.5" STEEL/BR D 1/4" CBM	30 PSI
102D-254CC	2.5" STEEL/BR D 1/4" CBM	30"/0/30 PSI HG VAC
102D-254D	2.5" STEEL/BR D 1/4" CBM	60 PSI
102D-254E	2.5" STEEL/BR D 1/4" CBM	100 PSI
102D-254F	2.5" STEEL/BR D 1/4" CBM	160 PSI
102D-254G	2.5" STEEL/BR D 1/4" CBM	200 PSI
102D-254H	2.5" STEEL/BR D 1/4" CBM	300 PSI
102D-254I	2.5" STEEL/BR D 1/4" CBM	400 PSI
102D-254K	2.5" STEEL/BR D 1/4" CBM	600 PSI
102D-254M	2.5" STEEL/BR D 1/4" CBM	1,000 PSI
102D-254O	2.5" STEEL/BR D 1/4" CBM	2,000 PSI
102D-254P	2.5" STEEL/BR D 1/4" CBM	3,000 PSI

**2.5" CRIMPED FACE 1/4" LOWER MOUNT/ 1.6% ACCURACY**



200L-254A	2.5" SS/BR CR LF 1/4" LM	30"/0 PSI HG VAC
200L-254B	2.5" SS/BR CR LF 1/4" LM	15 PSI
200L-254C	2.5" SS/BR CR LF 1/4" LM	30 PSI
200L-254CB	2.5" SS/BR CR LF 1/4" LM	30"/15 PSI HG VAC
200L-254CC	2.5" SS/BR CR LF 1/4" LM	30"/0/30 PSI HG VAC
200L-254CD	2.5" SS/BR CR LF 1/4" LM	30/60 PSI HG VAC
200L-254CE	2.5" SS/BR CR LF 1/4" LM	30/100 PSI HG VAC
200L-254CF	2.5" SS/BR CR LF 1/4" LM	30/150 PSI HG VAC
200L-254CG	2.5" SS/BR CR LF 1/4" LM	30/200 PSI HG VAC
200L-254CH	2.5" SS/BR CR LF 1/4" LM	30/300 PSI HG VAC
200L-254D	2.5" SS/BR CR LF 1/4" LM	60 PSI
200L-254E	2.5" SS/BR CR LF 1/4" LM	100 PSI
200L-254F	2.5" SS/BR CR LF 1/4" LM	160 PSI
200L-254G	2.5" SS/BR CR LF 1/4" LM	200 PSI
200L-254H	2.5" SS/BR CR LF 1/4" LM	300 PSI
200L-254I	2.5" SS/BR CR LF 1/4" LM	400 PSI
200L-254J	2.5" SS/BR CR LF 1/4" LM	500 PSI
200L-254K	2.5" SS/BR CR LF 1/4" LM	600 PSI
200L-254L	2.5" SS/BR CR LF 1/4" LM	800 PSI
200L-254M	2.5" SS/BR CR LF 1/4" LM	1,000 PSI
200L-254N	2.5" SS/BR CR LF 1/4" LM	1,500 PSI
200L-254O	2.5" SS/BR CR LF 1/4" LM	2,000 PSI
200L-254P	2.5" SS/BR CR LF 1/4" LM	3,000 PSI
200L-254Q	2.5" SS/BR CR LF 1/4" LM	4,000 PSI
200L-254R	2.5" SS/BR CR LF 1/4" LM	5,000 PSI

**4" CRIMPED FACE 1/2" LOWER MOUNT/ 1% ACCURACY**



200L-402A	4" SS/BR CR LF 1/2" LM	30"/0 HG VAC
200L-402C	4" SS/BR CR LF 1/2" LM	30 PSI
200L-402CC	4" SS/BR CR LF 1/2" LM	30"/30 PSI HG VAC
200L-402D	4" SS/BR CR LF 1/2" LM	60 PSI
200L-402E	4" SS/BR CR LF 1/2" LM	100 PSI
200L-402F	4" SS/BR CR LF 1/2" LM	160 PSI
200L-402G	4" SS/BR CR LF 1/2" LM	200 PSI
200L-402H	4" SS/BR CR LF 1/2" LM	300 PSI
200L-402K	4" SS/BR CR LF 1/2" LM	600 PSI
200L-402M	4" SS/BR CR LF 1/2" LM	1,000 PSI
200L-402N	4" SS/BR CR LF 1/2" LM	1,500 PSI
200L-402O	4" SS/BR CR LF 1/2" LM	2,000 PSI
200L-402P	4" SS/BR CR LF 1/2" LM	3,000 PSI
200L-402R	4" SS/BR CR LF 1/2" LM	5,000 PSI

**2 1/2" DIAL / DIN STYLE BEZEL / 1.6% ACCURACY**



210L-254A	2.5" SS/BR RR LF 1/4" LM	30"/0 HG VAC
210L-254B	2.5" SS/BR RR LF 1/4" LM	15 PSI
210L-254C	2.5" SS/BR RR LF 1/4" LM	30 PSI
210L-254CB	2.5" SS/BR RR LF 1/4" LM	30/0/15 PSI HG VAC
210L-254CC	2.5" SS/BR RR LF 1/4" LM	30/30 PSI HG VAC
210L-254CD	2.5" SS/BR RR LF 1/4" LM	30/0/60 PSI
210L-254CE	2.5" SS/BR RR LF 1/4" LM	30/0/100 PSI HG VAC
210L-254CF	2.5" SS/BR RR LF 1/4" LM	30/0/160 PSI HG VAC
210L-254CG	2.5" SS/BR RR LF 1/4" LM	30/0/200 PSI HG VAC
210L-254CH	2.5" SS/BR RR LF 1/4" LM	30/0/300 PSI HG VAC

210L-254D	2.5" SS/BR RR LF 1/4" LM	60 PSI
210L-254E	2.5" SS/BR RR LF 1/4" LM	100 PSI
210L-254F	2.5" SS/BR RR LF 1/4" LM	160 PSI
210L-254G	2.5" SS/BR RR LF 1/4" LM	200 PSI
210L-254H	2.5" SS/BR RR LF 1/4" LM	300 PSI
210L-254I	2.5" SS/BR RR LF 1/4" LM	400 PSI
210L-254J	2.5" SS/BR RR LF 1/4" LM	500 PSI
210L-254K	2.5" SS/BR RR LF 1/4" LM	600 PSI
210L-254L	2.5" SS/BR RR LF 1/4" LM	800 PSI
210L-254M	2.5" SS/BR RR LF 1/4" LM	1,000 PSI
210L-254N	2.5" SS/BR RR LF 1/4" LM	1,500 PSI
210L-254O	2.5" SS/BR RR LF 1/4" LM	2,000 PSI
210L-254P	2.5" SS/BR RR LF 1/4" LM	3,000 PSI
210L-254Q	2.5" SS/BR RR LF 1/4" LM	4,000 PSI
210L-254R	2.5" SS/BR RR LF 1/4" LM	5,000 PSI

**4" DIAL / DIN STYLE BEZEL / 1% ACCURACY**



210L-402A	4" SS/BR RR LF 1/2" LM	30 / 0" HG VAC
210L-402B	4" SS/BR RR LF 1/2" LM	15 PSI
210L-402C	4" SS/BR RR LF 1/2" LM	30 PSI
210L-402CB	4" SS/BR RR LF 1/2" LM	30/0/15 PSI HG VAC
210L-402CC	4" SS/BR RR LF 1/2" LM	30/0/30 PSI HG VAC
210L-402CD	4" SS/BR RR LF 1/2" LM	30/0/60 PSI HG VAC
210L-402CE	4" SS/BR RR LF 1/2" LM	30/0/100 PSI HG VAC
210L-402CF	4" SS/BR RR LF 1/2" LM	30/0/160 PSI HG VAC
210L-402CG	4" SS/BR RR LF 1/2" LM	30/0/200 PSI HG VAC
210L-402D	4" SS/BR RR LF 1/2" LM	60 PSI
210L-402E	4" SS/BR RR LF 1/2" LM	100 PSI
210L-402F	4" SS/BR RR LF 1/2" LM	160 PSI
210L-402G	4" SS/BR RR LF 1/2" LM	200 PSI
210L-402H	4" SS/BR RR LF 1/2" LM	300 PSI
210L-402I	4" SS/BR RR LF 1/2" LM	400 PSI
210L-402J	4" SS/BR RR LF 1/2" LM	500 PSI
210L-402K	4" SS/BR RR LF 1/2" LM	600 PSI
210L-402L	4" SS/BR RR LF 1/2" LM	800 PSI
210L-402M	4" SS/BR RR LF 1/2" LM	1,000 PSI
210L-402N	4" SS/BR RR LF 1/2" LM	1,500 PSI
210L-402O	4" SS/BR RR LF 1/2" LM	2,000 PSI
210L-402P	4" SS/BR RR LF 1/2" LM	3,000 PSI
210L-402Q	4" SS/BR RR LF 1/2" LM	4,000 PSI
210L-402R	4" SS/BR RR LF 1/2" LM	5,000 PSI

**1 1/2" CRIMPED FACE 1/8" CENTER BACK MOUNT / 1.6% ACCURACY**



202L-158C	1.5" SS/BR CR LF 1/8" CBM	30 PSI
202L-158D	1.5" SS/BR CR LF 1/8" CBM	60 PSI
202L-158E	1.5" SS/BR CR LF 1/8" CBM	100 PSI
202L-158F	1.5" SS/BR CR LF 1/8" CBM	160 PSI
202L-158G	1.5" SS/BR CR LF 1/8" CBM	200 PSI

**2 1/2" CRIMPED FACE 1/4" CENTER BACK MOUNT / 1.6% ACCURACY**



PANEL MOUNT RING  
WITH OR WITHOUT  
MOUNTING HOLES



202L-254BBK	2.5" SS/BR LF 1/4" CBM	15 PSI/BAR/KPA
202L-254CBK	2.5" SS/BR LF 1/4" CBM	30 PSI/BAR/KPA
202L-254DBK	2.5" SS/BR LF 1/4" CBM	60 PSI/BAR/KPA
202L-254EBK	2.5" SS/BR LF 1/4" CBM	100 PSI/BAR/KPA
202L-254FBK	2.5" SS/BR LF 1/4" CBM	160 PSI/BAR/KPA
202L-254GBK	2.5" SS/BR LF 1/4" CBM	200 PSI/BAR/KPA
202L-254HBK	2.5" SS/BR LF 1/4" CBM	300 PSI/BAR/KPA
202L-254IBK	2.5" SS/BR LF 1/4" CBM	400 PSI/BAR/KPA
202L-254JBK	2.5" SS/BR LF 1/4" CBM	500 PSI/BAR/KPA
202L-254KBK	2.5" SS/BR LF 1/4" CBM	600 PSI/BAR/KPA
202L-254LBK	2.5" SS/BR LF 1/4" CBM	800 PSI/BAR/KPA
202L-254MBK	2.5" SS/BR LF 1/4" CBM	1,000 PSI/BAR/KPA
202L-254NBK	2.5" SS/BR LF 1/4" CBM	1,500 PSI/BAR/KPA
202L-254OBK	2.5" SS/BR LF 1/4" CBM	2,000 PSI/BAR/KPA
202L-254PBK	2.5" SS/BR LF 1/4" CBM	3,000 PSI/BAR/KPA
202L-254QBK	2.5" SS/BR LF 1/4" CBM	4,000 PSI/BAR/KPA
202L-254RBK	2.5" SS/BR LF 1/4" CBM	5,000 PSI/BAR/KPA

**STAINLESS CASE x STAINLESS INTERNALS**

**2.5" CRIMPED FACE 1/4" LOWER MOUNT / 1.6% ACCURACY**



300L-254A	2.5" SS/SS CR LF 1/4" LM	30/0 PSI HG VAC
300L-254B	2.5" SS/SS CR LF 1/4" LM	15 PSI
300L-254C	2.5" SS/SS CR LF 1/4" LM	30 PSI
300L-254CB	2.5" SS/SS CR LF 1/4" LM	30/15 PSI HG VAC
300L-254CC	2.5" SS/SS CR LF 1/4" LM	30/30 PSI HG VAC
300L-254CD	2.5" SS/SS CR LF 1/4" LM	30/60 PSI HG VAC
300L-254CE	2.5" SS/SS CR LF 1/4" LM	30/100 PSI HG VAC
300L-254CF	2.5" SS/SS CR LF 1/4" LM	30/160 PSI HG VAC
300L-254CG	2.5" SS/SS CR LF 1/4" LM	30/200 PSI HG VAC
300L-254CH	2.5" SS/SS CR LF 1/4" LM	30/300 PSI HG VAC
300L-254D	2.5" SS/SS CR LF 1/4" LM	60 PSI
300L-254E	2.5" SS/SS CR LF 1/4" LM	100 PSI
300L-254F	2.5" SS/SS CR LF 1/4" LM	160 PSI
300L-254G	2.5" SS/SS CR LF 1/4" LM	200 PSI
300L-254H	2.5" SS/SS CR LF 1/4" LM	300 PSI
300L-254I	2.5" SS/SS CR LF 1/4" LM	400 PSI
300L-254J	2.5" SS/SS CR LF 1/4" LM	500 PSI
300L-254K	2.5" SS/SS CR LF 1/4" LM	600 PSI
300L-254M	2.5" SS/SS CR LF 1/4" LM	1,000 PSI
300L-254N	2.5" SS/SS CR LF 1/4" LM	1,500 PSI
300L-254O	2.5" SS/SS CR LF 1/4" LM	2,000 PSI
300L-254P	2.5" SS/SS CR LF 1/4" LM	3,000 PSI
300L-254Q	2.5" SS/SS CR LF 1/4" LM	4,000 PSI
300L-254R	2.5" SS/SS CR LF 1/4" LM	5,000 PSI
300L-254S	2.5" SS/SS CR LF 1/4" LM	6,000 PSI

**4" CRIMPED FACE 1/2" LOWER MOUNT/ 1% ACCURACY**



300L-402A	4" SS/SS CR LF 1/2" LM	30/0 PSI HG VAC
300L-402B	4" SS/SS CR LF 1/2" LM	15 PSI
300L-402C	4" SS/SS CR LF 1/2" LM	30 PSI
300L-402CB	4" SS/SS CR LF 1/2" LM	30/15 PSI HG VAC
300L-402CC	4" SS/SS CR LF 1/2" LM	30/30 PSI HG VAC
300L-402CD	4" SS/SS CR LF 1/2" LM	30/60 PSI HG VAC
300L-402CE	4" SS/SS CR LF 1/2" LM	30/100 PSI HG VAC
300L-402CF	4" SS/SS CR LF 1/2" LM	30/150 PSI HG VAC
300L-402CG	4" SS/SS CR LF 1/2" LM	30/200 PSI HG VAC
300L-402CH	4" SS/SS CR LF 1/2" LM	30/300 PSI HG VAC
300L-402D	4" SS/SS CR LF 1/2" LM	60 PSI
300L-402E	4" SS/SS CR LF 1/2" LM	100 PSI
300L-402F	4" SS/SS CR LF 1/2" LM	160 PSI
300L-402G	4" SS/SS CR LF 1/2" LM	200 PSI
300L-402H	4" SS/SS CR LF 1/2" LM	300 PSI
300L-402I	4" SS/SS CR LF 1/2" LM	400 PSI
300L-402J	4" SS/SS CR LF 1/2" LM	500 PSI
300L-402K	4" SS/SS CR LF 1/2" LM	600 PSI
300L-402L	4" SS/SS CR LF 1/2" LM	800 PSI
300L-402M	4" SS/SS CR LF 1/2" LM	1,000 PSI
300L-402N	4" SS/SS CR LF 1/2" LM	1,500 PSI
300L-402O	4" SS/SS CR LF 1/2" LM	2,000 PSI
300L-402P	4" SS/SS CR LF 1/2" LM	3,000 PSI
300L-402Q	4" SS/SS CR LF 1/2" LM	4,000 PSI
300L-402R	4" SS/SS CR LF 1/2" LM	5,000 PSI
300L-402S	4" SS/SS CR LF 1/2" LM	6,000 PSI

**2 1/2" DIAL / DIN STYLE BEZEL / 1.6% ACCURACY**



310L-254A	2.5" SS/SS RR LF 1/4" LM	30/0" VAC HG VAC
310L-254B	2.5" SS/SS RR LF 1/4" LM	15 PSI
310L-254C	2.5" SS/SS RR LF 1/4" LM	30 PSI
310L-254CB	2.5" SS/SS RR LF 1/4" LM	30/0/15 PSI HG VAC
310L-254CC	2.5" SS/SS RR LF 1/4" LM	30/0/30 PSI HG VAC
310L-254CD	2.5" SS/SS RR LF 1/4" LM	30/0/60 PSI HG VAC
310L-254CE	2.5" SS/SS RR LF 1/4" LM	30/0/100 PSI HG VAC
310L-254CF	2.5" SS/SS RR LF 1/4" LM	30/0/160 PSI HG VAC
310L-254CG	2.5" SS/SS RR LF 1/4" LM	30/0/200 PSI HG VAC
310L-254CH	2.5" SS/SS RR LF 1/4" LM	30/0/300 PSI HG VAC
310L-254D	2.5" SS/SS RR LF 1/4" LM	60 PSI
310L-254E	2.5" SS/SS RR LF 1/4" LM	100 PSI
310L-254F	2.5" SS/SS RR LF 1/4" LM	160 PSI
310L-254G	2.5" SS/SS RR LF 1/4" LM	200 PSI
310L-254H	2.5" SS/SS RR LF 1/4" LM	300 PSI
310L-254I	2.5" SS/SS RR LF 1/4" LM	400 PSI
310L-254J	2.5" SS/SS RR LF 1/4" LM	500 PSI
310L-254K	2.5" SS/SS RR LF 1/4" LM	600 PSI
310L-254L	2.5" SS/SS RR LF 1/4" LM	800 PSI
310L-254M	2.5" SS/SS RR LF 1/4" LM	1,000 PSI
310L-254N	2.5" SS/SS RR LF 1/4" LM	1,500 PSI
310L-254O	2.5" SS/SS RR LF 1/4" LM	2,000 PSI
310L-254P	2.5" SS/SS RR LF 1/4" LM	3,000 PSI
310L-254Q	2.5" SS/SS RR LF 1/4" LM	4,000 PSI
310L-254R	2.5" SS/SS RR LF 1/4" LM	5,000 PSI

310L-254S	2.5" SS/SS RR LF 1/4" LM	6,000 PSI
310L-254U	2.5" SS/SS RR LF 1/4" LM	10,000 PSI
310L-254V	2.5" SS/SS RR LF 1/4" LM	15,000 PSI

**4" DIAL / DIN STYLE BEZEL / 1% ACCURACY**



310L-402A	4" SS/SS RR LF 1/2" LM	30/0" PSI HG VAC
310L-402B	4" SS/SS RR LF 1/2" LM	15 PSI
310L-402C	4" SS/SS RR LF 1/2" LM	30 PSI
310L-402CB	4" SS/SS RR LF 1/2" LM	30/0/15 PSI HG VAC
310L-402CC	4" SS/SS RR LF 1/2" LM	30/0/30 PSI HG VAC
310L-402CD	4" SS/SS RR LF 1/2" LM	30/0/60 PSI HG VAC
310L-402CE	4" SS/SS RR LF 1/2" LM	30/0/100 PSI HG VAC
310L-402CF	4" SS/SS RR LF 1/2" LM	30/0/160 PSI HG VAC
310L-402CG	4" SS/SS RR LF 1/2" LM	30/0/200 PSI HG VAC
310L-402D	4" SS/SS RR LF 1/2" LM	60 PSI
310L-402E	4" SS/SS RR LF 1/2" LM	100 PSI
310L-402F	4" SS/SS RR LF 1/2" LM	160 PSI
310L-402G	4" SS/SS RR LF 1/2" LM	200 PSI
310L-402H	4" SS/SS RR LF 1/2" LM	300 PSI
310L-402I	4" SS/SS RR LF 1/2" LM	400 PSI
310L-402J	4" SS/SS RR LF 1/2" LM	500 PSI
310L-402K	4" SS/SS RR LF 1/2" LM	600 PSI
310L-402L	4" SS/SS RR LF 1/2" LM	800 PSI
310L-402M	4" SS/SS RR LF 1/2" LM	1,000 PSI
310L-402N	4" SS/SS RR LF 1/2" LM	1,500 PSI
310L-402O	4" SS/SS RR LF 1/2" LM	2,000 PSI
310L-402P	4" SS/SS RR LF 1/2" LM	3,000 PSI
310L-402Q	4" SS/SS RR LF 1/2" LM	4,000 PSI
310L-402R	4" SS/SS RR LF 1/2" LM	5,000 PSI
310L-402S	4" SS/SS RR LF 1/2" LM	6,000 PSI
310L-402U	4" SS/SS RR LF 1/2" LM	10,000 PSI
310L-402V	4" SS/SS RR LF 1/2" LM	15,000 PSI
310L-402W	4" SS/SS RR LF 1/2" LM	20,000 PSI

**2 1/2" DIAL / CRIMPED / CENTER BACK CONNECTION / 1.6% ACCURACY**



PANEL MOUNT RING  
WITH OR WITHOUT  
MOUNTING HOLES

302L-254BBK	2.5" SS/SS LF 1/4" CBM	15 PSI/BAR/KPA
302L-254CBK	2.5" SS/SS LF 1/4" CBM	30 PSI/BAR/KPA
302L-254DBK	2.5" SS/SS LF 1/4" CBM	60 PSI/BAR/KPA
302L-254EBK	2.5" SS/SS LF 1/4" CBM	100 PSI/BAR/KPA
302L-254FBK	2.5" SS/SS LF 1/4" CBM	160 PSI/BAR/KPA
302L-254GBK	2.5" SS/SS LF 1/4" CBM	200 PSI/BAR/KPA
302L-254HBK	2.5" SS/SS LF 1/4" CBM	300 PSI/BAR/KPA
302L-254IBK	2.5" SS/SS LF 1/4" CBM	400 PSI/BAR/KPA
302L-254JBK	2.5" SS/SS LF 1/4" CBM	500 PSI/BAR/KPA
302L-254KBK	2.5" SS/SS LF 1/4" CBM	600 PSI/BAR/KPA
302L-254LBK	2.5" SS/SS LF 1/4" CBM	800 PSI/BAR/KPA
302L-254MBK	2.5" SS/SS LF 1/4" CBM	1,000 PSI/BAR/KPA
302L-254NBK	2.5" SS/SS LF 1/4" CBM	1,500 PSI/BAR/KPA
302L-254OBK	2.5" SS/SS LF 1/4" CBM	2,000 PSI/BAR/KPA
302L-254PBK	2.5" SS/SS LF 1/4" CBM	3,000 PSI/BAR/KPA
302L-254QBK	2.5" SS/SS LF 1/4" CBM	4,000 PSI/BAR/KPA
302L-254RBK	2.5" SS/SS LF 1/4" CBM	5,000 PSI/BAR/KPA
302L-254SBK	2.5" SS/SS LF 1/4" CBM	6,000 PSI/BAR/KPA
302L-254UBK	2.5" SS/SS LF 1/4" CBM	10,000 PSI/BAR/KPA
302L-254VBK	2.5" SS/SS LF 1/4" CBM	15,000 PSI/BAR/KPA



## PROCESS GAUGES

4 1/2" DIAL / STAINLESS INTERNALS / .5% ACCURACY



450D-452A	4.5" PH/SS DRY 1/2" MNPT LM	30-0 PSI HG VAC
450D-452B	4.5" PH/SS DRY 1/2" MNPT LM	15 PSI
450D-452C	4.5" PH/SS DRY 1/2" MNPT LM	30 PSI
450D-452CC	4.5" PH/SS DRY 1/2" MNPT LM	30/0/30 PSI HG VAC
450D-452CD	4.5" PH/SS DRY 1/2" MNPT LM	30/0/60 PSI HG VAC
450D-452D	4.5" PH/SS DRY 1/2" MNPT LM	60 PSI
450D-452E	4.5" PH/SS DRY 1/2" MNPT LM	100 PSI
450D-452F	4.5" PH/SS DRY 1/2" MNPT LM	160 PSI
450D-452G	4.5" PH/SS DRY 1/2" MNPT LM	200 PSI
450D-452H	4.5" PH/SS DRY 1/2" MNPT LM	300 PSI
450D-452K	4.5" PH/SS DRY 1/2" MNPT LM	600 PSI
450D-452L	4.5" PH/SS DRY 1/2" MNPT LM	800 PSI
450D-452M	4.5" PH/SS DRY 1/2" MNPT LM	1,000 PSI
450D-452N	4.5" PH/SS DRY 1/2" MNPT LM	1,500 PSI
450D-452O	4.5" PH/SS DRY 1/2" MNPT LM	2,000 PSI
450D-452P	4.5" PH/SS DRY 1/2" MNPT LM	3,000 PSI
450D-452R	4.5" PH/SS DRY 1/2" MNPT LM	5,000 PSI
450D-452S	4.5" PH/SS DRY 1/2" MNPT LM	6,000 PSI
450D-452U	4.5" PH/SS DRY 1/2" MNPT LM	10,000 PSI
450D-452V	4.5" PH/SS DRY 1/2" MNPT LM	15,000 PSI

## CAST BRASS GAUGES

2 1/2" CRIMPED 1/4" LOWER MOUNT CAST BRASS / PLASTIC RING / 1.6% ACCURACY



601L-254A	2.5" BR/BR CR LF 1/4" LM	30/0 PSI HG VAC
601L-254B	2.5" BR/BR CR LF 1/4" LM	15 PSI
601L-254C	2.5" BR/BR CR LF 1/4" LM	30 PSI
601L-254CB	2.5" BR/BR CR LF 1/4" LM	30/15 PSI HG VAC
601L-254CC	2.5" BR/BR CR LF 1/4" LM	30/30 PSI HG VAC
601L-254CD	2.5" BR/BR CR LF 1/4" LM	30/60 PSI HG VAC
601L-254CE	2.5" BR/BR CR LF 1/4" LM	30/0/100 PSI HG VAC
601L-254CF	2.5" BR/BR CR LF 1/4" LM	30/0/160 PSI HG VAC
601L-254CG	2.5" BR/BR CR LF 1/4" LM	30/0/200 PSI HG VAC
601L-254CH	2.5" BR/BR CR LF 1/4" LM	30/0/300 PSI HG VAC
601L-254D	2.5" BR/BR CR LF 1/4" LM	60 PSI
601L-254E	2.5" BR/BR CR LF 1/4" LM	100 PSI
601L-254F	2.5" BR/BR CR LF 1/4" LM	160 PSI
601L-254G	2.5" BR/BR CR LF 1/4" LM	200 PSI
601L-254H	2.5" BR/BR CR LF 1/4" LM	300 PSI
601L-254I	2.5" BR/BR CR LF 1/4" LM	400 PSI
601L-254K	2.5" BR/BR CR LF 1/4" LM	600 PSI
601L-254L	2.5" BR/BR CR LF 1/4" LM	800 PSI
601L-254M	2.5" BR/BR CR LF 1/4" LM	1,000 PSI
601L-254N	2.5" BR/BR CR LF 1/4" LM	1,500 PSI
601L-254O	2.5" BR/BR CR LF 1/4" LM	2,000 PSI
601L-254P	2.5" BR/BR CR LF 1/4" LM	3,000 PSI
601L-254R	2.5" BR/BR CR LF 1/4" LM	5,000 PSI
601L-254U	2.5" BR/BR CR LF 1/4" LM	10,000 PSI

# CAPSULE GAUGES

## 2" OR 2.5" DIAL / STEEL, CHROME CASE / BRASS INTERNALS



702D-208X2	2" CHR/BR D 1/8" CBM 2 PSI (NO LOGO)
702D-208X5	2" CHR/BR D 1/8" CBM 5 PSI (NO LOGO)
702D-254X5	2.5" CHR/BR D 1/4" CBM 5 PSI (NO LOGO)
703D-254X5	2.5" CHR/BR D 1/4" BK-UPPER MOUNT 5 PSI (NO LOGO)

# THERMOMETERS

**MOST THERMOMETERS ARE AVAILABLE IN DUAL SCALE AT LISTED PRICE (CALL FOR AVAILABILITY)**

## 304 STAINLESS STEEL / BI-METAL / CENTER BACK CONNECT THERMOMETER



32.5-0-150	3" DIAL, 2.5" STEM, 1/2" NPT, 0-150 F
32.5-0-200F	3" DIAL, 2.5" STEM, 1/2" NPT, 0-200 F
32.5-0-250F	3" DIAL, 2.5" STEM, 1/2" NPT, 0-250 F
32.5-0-550F	3" DIAL, 2.5" STEM, 1/2" NPT, 0-550 F
32.5-50-550F	3" DIAL, 2.5" STEM, 1/2" NPT, 50-550 F
32.5-N50-550F	3" DIAL, 2.5" STEM, 1/2" NPT, --50-550 F
34-0-200F	3" DIAL, 4" STEM, 1/2" NPT, 0-200 F
34-0-250F	3" DIAL, 4" STEM, 1/2" NPT, 0-250 F
34-0-550F	3" DIAL, 4" STEM, 1/2" NPT, 0-550 F
34-50-300F	3" DIAL, 4" STEM, 1/2" NPT, 50-300 F
34-50-500F	3" DIAL, 4" STEM, 1/2" NPT, 50-500 F
34-50-550F	3" DIAL, 4" STEM, 1/2" NPT, 50-550 F
34-N40-160F	3" DIAL, 4" STEM, 1/2" NPT, --40-160 F
34-N50-550F	3" DIAL, 4" STEM, 1/2" NPT, --50-550 F
36-0-200F	3" DIAL, 6" STEM, 1/2" NPT, 0-200 F
36-0-250F	3" DIAL, 6" STEM, 1/2" NPT, 0-250 F
36-0-550F	3" DIAL, 6" STEM, 1/2" NPT, 0-550 F
36-50-300F	3" DIAL, 6" STEM, 1/2" NPT, 50-300 F
36-50-500F	3" DIAL, 6" STEM, 1/2" NPT, 50-500 F
36-50-550F	3" DIAL, 6" STEM, 1/2" NPT, 50-550 F
36-N40-160F	3" DIAL, 6" STEM, 1/2" NPT, --40-160 F
36-N50-550F	3" DIAL, 6" STEM, 1/2" NPT, --50-550 F
39-0-200F	3" DIAL, 9" STEM, 1/2" NPT, 0-200 F
39-0-250F	3" DIAL, 9" STEM, 1/2" NPT, 50-550 F
39-50-300F	3" DIAL, 9" STEM, 1/2" NPT, 50-300 F
39-50-500F	3" DIAL, 9" STEM, 1/2" NPT, 50-500 F
39-50-550F	3" DIAL, 9" STEM, 1/2" NPT, 50-550 F
39-N40-160F	3" DIAL, 9" STEM, 1/2" NPT, --40-160 F
39-N50-550F	3" DIAL, 9" STEM, 1/2" NPT, --50-550 F

## 304 STAINLESS STEEL / BI-METAL / ADJUSTABLE ANGLE THERMOMETER



3A2.5-0-250F	3" DIAL, 2.5" STEM, 1/2" NPT, 0-250 F
3A2.5-0-500F	3" DIAL, 2.5" STEM, 1/2" NPT, 0-500
3A2.5-50-550F	3" DIAL, 2.5" STEM, 1/2" NPT, 50-550 F
3A4-0-500F	3" DIAL, 4" STEM, 1/2" NPT, 0-500
3A4-50-550F	3" DIAL, 4" STEM, 1/2" NPT, 50-550 F
3A6-0-250F	3" DIAL, 6" STEM, 1/2" NPT, 0-250 F
3A6-0-500F	3" DIAL, 6" STEM, 1/2" NPT, 0-500 F
3A6-50-550F	3" DIAL, 6" STEM, 1/2" NPT, 0-550 F
3A9-0-250F	3" DIAL, 9" STEM, 1/2" NPT, 0-250 F
52.5-0-200F	5" DIAL, 2.5" STEM, 1/2" NPT, 0-500 F
52.5-0-250F	5" DIAL, 2.5" STEM, 1/2" NPT, 0-250 F
52.5-50-500F	5" DIAL, 2.5" STEM, 1/2" NPT, 50-500 F



52.5-50-550F	5" DIAL, 2.5" STEM, 1/2" NPT, 50-550 F
52.5-N50-550F	5" DIAL, 2.5" STEM, 1/2" NPT, --50-550 F
54-0-200F	5" DIAL, 4" STEM, 1/2" NPT, 0-200 F
54-0-250F	5" DIAL, 4" STEM, 1/2" NPT, 0-250F
54-50-500F	5" DIAL, 4" STEM, 1/2" NPT, 50-500 F
54-50-550F	5" DIAL, 4" STEM, 1/2" NPT, 50-550 F
54-N50-550F	5" DIAL, 4" STEM, 1/2" NPT, --50 TO 550 F
56-0-200F	5" DIAL, 6" STEM, 1/2" NPT, 0-200 F
56-0-250F	5" DIAL, 6" STEM, 1/2" NPT, 0-250 F
56-50-500F	5" DIAL, 6" STEM, 1/2" NPT, 50-500 F
56-50-550F	5" DIAL, 6" STEM, 1/2" NPT, 50-550 F
56-N50-550F	5" DIAL, 6" STEM, 1/2" NPT, --50-550 F
59-0-200F	5" DIAL, 9" STEM, 1/2" NPT, 0-200 F
59-0-250F	5" DIAL, 9" STEM, 1/2" NPT, 0-250 F
59-50-500F	5" DIAL, 9" STEM, 1/2" NPT, 50-500 F,
59-50-550F	5" DIAL, 9" STEM, 1/2" NPT, 50-550 F

## THERMOWELLS



TW22-2.5S-304	1/2" X 1/2" X 2.5" STEM 304SS
TW32-2.5S-304	3/4" X 1/2" X 2.5" STEM 304SS
TW22-4S-304	1/2" X 1/2" X 4" STEM 304SS
TW32-4S-304	3/4" X 1/2" X 4" STEM 304SS
TW22-6S-304	1/2" X 1/2" X 6" STEM 304SS
TW32-6S-304	3/4" X 1/2" X 6" STEM 304SS
TW32-9S-304	1/2" X 1/2" X 9" STEM 304SS
TW22-9S-304	3/4" X 1/2" X 9" STEM 304SS

### 316 STAINLESS STEEL / BAR STOCK NON-WELDED

TW22-2.5S-316	1/2" X 1/2" X 2.5" STEM 316SS
TW32-2.5S-316	3/4" X 1/2" X 2.5" STEM 316SS
TW22-4S-316	1/2" X 1/2" X 4" STEM 316SS
TW32-4S-316	3/4" X 1/2" X 4" STEM 316SS
TW22-6S-316	1/2" X 1/2" X 6" STEM 316SS
TW32-6S-316	3/4" X 1/2" X 6" STEM 316SS
TW32-9S-316	1/2" X 1/2" X 9" STEM 316SS
TW22-9S-316	3/4" X 1/2" X 9" STEM 316SS